

ExoFit NEX™  
ARC FLASH HARNESS

YOU TAKE  
THE HEAT.  
SO DOES  
OUR GEAR.

THE ULTIMATE ARC  
FLASH & HOT-WORK  
HARNESSES.



**EXOFIT NEX™**

Tested to perform in accordance with the recently updated ASTM F887-11 standard.



Scan this QR code with your smart phone to learn more about ExoFit NEX™ Arc Flash Harnesses!



THE ULTIMATE IN FALL PROTECTION

PRODUCT SHEET

## ExoFit NEX™ ARC FLASH HARNESS

### ExoFit NEX™ Arc Flash

models incorporate Nomex®/Kevlar® construction featuring flame resistant and non-conductive properties, making them perfect for use in any industry where high voltage electricity or hot-work such as welding is a concern.

You will have complete peace of mind knowing that all DBI-SALA™ arc flash equipment is tested to perform in accordance with the recently updated ASTM F887-11 arc flash standard specification for personal climbing equipment, as well as ANSI Z359 and CSA requirements.

Testing for fall protection is performed in two steps: The first step exposes the equipment to an arc flash at 40 cal/cm<sup>2</sup>, and the second is a drop test compliant with ANSI Z359.1 after the exposure.

**CHECK OUT THIS  
ExoFit NEX™ ARC FLASH  
TEST VIDEO!**



## COMFORT.

True to our ExoFit™ mission, we manufacture these harnesses using materials that won't add unnecessary weight.

## FUNCTION.

When speed and efficiency are project requirements, ExoFit NEX™ will provide the freedom and confidence to function at your maximum potential.

## DURABILITY.

ExoFit NEX™ harnesses are designed using materials that last in the toughest environments.



# EXOFIT NEX™

The Ultimate Full Body Comfort Harnesses

ExoFit NEX™ harnesses are the newest, most advanced harnesses in the industry. They're the culmination of our experience with ExoFit™ and ExoFit™ XP, ongoing research and the incorporation of new materials and innovative features. When you purchase an ExoFit NEX™ harness, you can be certain that you're purchasing the finest harness available today, from DBI-SALA™ or anyone else.



## ARC FLASH RATED

Tested to perform in accordance with ASTM F887-11 standard for personal climbing equipment.

## ARC FLASH HYBRID PADDING

Lightweight shoulder, hip and leg padding always keeps the wearer comfortable.

## MOLDED LANYARD KEEPERS

Easy holstered lanyard hooks break away to avoid trip hazard.

## REFLECTIVE MATERIAL

Integrated on legs, chest, shoulders and back for greater visibility and safety.

## BUILT-IN CARRYING POCKET

Conveniently holds a cell phone, camera or other items.

## DUO-LOK™ QUICK CONNECT BUCKLES

Lightweight aluminum, one-handed use with memory fit web lock ensures fast, non-slipping connections.

## FLAME RESISTANT WEBBING

Nomex® exterior with Kevlar® core and thread provides 7,000 lb. strength and ultimate flame resistance.

## REVOLVER™ VERTICAL TORSO ADJUSTERS

Simple and fast adjustments that eliminate loose ends and lock into place, preventing slippage.

## PVC COATED TECH-LITE™ ALUMINUM D-RINGS

Non-conductive, extremely lightweight aluminum alloy hardware offers the highest level of comfort and security.

**420 LB.  
CAPACITY**  
ON ALL MODELS

## STAND-UP DORSAL D-RING

Non-conductive, extremely lightweight PVC-coated aluminum D-ring is spring loaded for fast and easy connections. Also available in web loop configurations.

## ARC FLASH RATED TRAUMA STRAPS

Provide an adjustable, continuous loop for post fall, minimizing suspension trauma.

## INTEGRATED INSULATORS

Leather insulators behind exposed hardware prevent contact with body during "hot" situations.

## ULTRA-SOFT EDGING

Moves with you. Doesn't rub or chafe.

## SUPERIOR X-DESIGN

Wrap-around design provides the ultimate in comfort, security and no-tangle donning.



Equipped with



# ExoFit NEX™ ARC FLASH HARNESS



## ExoFit NEX™ ARC FLASH HARNESS

Nomex®/Kevlar® web, PVC coated aluminum back D-ring, locking quick-connect buckles, comfort padding

1103085 | Small

1103086 | Medium

1103087 | Large

1103088 | X-Large



## ExoFit NEX™ ARC FLASH HARNESS

Nomex®/Kevlar® web, PVC coated aluminum back D-ring, coated pass-thru buckles, comfort padding

1113335 | Small

1113336 | Medium

1113337 | Large

1113338 | X-Large



## ExoFit NEX™ ARC FLASH POSITIONING HARNESS

Nomex®/Kevlar® web, PVC coated aluminum back & side D-rings, locking quick-connect buckles, comfort padding

1103070 | Small

1103071 | Medium

1103072 | Large

1103073 | X-Large



## ExoFit NEX™ ARC FLASH CLIMBING HARNESS

Nomex®/Kevlar® web, PVC coated aluminum front, back & side D-rings, locking quick-connect buckles, comfort padding

1113330 | Small

1113331 | Medium

1113332 | Large

1113333 | X-Large



## ExoFit NEX™ ARC FLASH RESCUE HARNESS

Nomex®/Kevlar® web, dorsal web loop & front rescue loops, locking quick-connect buckles, comfort padding

1113325 | Small

1113326 | Medium

1113327 | Large

1113328 | X-Large



## ExoFit NEX™ ARC FLASH CONSTRUCTION HARNESS

Nomex®/Kevlar® web, PVC coated aluminum back & side D-rings, locking quick-connect buckles, sewn-in hip pad & belt, comfort padding

1113315 | Small

1113316 | Medium

1113317 | Large

1113318 | X-Large



## ExoFit NEX™ ARC FLASH CONSTRUCTION HARNESS

Nomex®/Kevlar® web, dorsal web loop, front rescue loops & PVC coated side D-rings, locking quick connect buckles, sewn-in hip pad & belt, comfort padding


1113320 | Small

1113321 | Medium

1113322 | Large

1113323 | X-Large

### ExoFit NEX™ FULL BODY HARNESS SIZING CHART



NOTE: In Canada, add "C" to end of part numbers



Capital Safety - USA: 800 328 6146  
 Canada: 800 387 7484 | Latin America: +1 651 385 4301  
 Asia: +65 65587758 | Germany: +49 (0)30 92 03 83 87 00  
 New Zealand: 0800 212 505 | Australia: 1800 245 002  
 Europe, Middle East, Africa: +33 (0)4 97 10 00 10  
 Northern Europe: +44 (0)1928 571234  
[www.capitalsafety.com](http://www.capitalsafety.com) [info@capitalsafety.com](mailto:info@capitalsafety.com)